PEARSON PARTS CATALOG

FOR

PEARSON 26

INTRODUCTION

PARTS CATALOG

Because of the variations in costs, we must advise that there may be changes in retail prices between the published price and the actual selling price.

Your dealer carries many items and is prepared to expedite any parts you may wish to order through him which he has not inventoried.

Important: If you wish to prepay, please contact us for a firm price quote before sending your remittance; otherwise orders from the company are shipped COD.

<u>IMPORTANT – READ BEFORE ORDERING</u>

This catalog has been sectionalized to facilitate your locating desired parts. Your local Pearson Dealer may stock many of these parts. If they do not, they will be happy to accept your order. If it is inconvenient for you to contact your nearest Pearson Dealer, you may order directly from Pearson Yachts.

When ordering, please provide us with the following information:

- 1. Boat Model and Hull Number (e.g. P-30 #100)
- 2. Quantity. Specify for each item ordered.
- 3. Part Number.
- 4. <u>Description</u>, as shown in this catalog.
- 5. <u>Shipping Instructions</u>. In the absence of your specific shipping instructions, we will use our best judgment. However, we cannot be responsible for delays or expense.

<u>CREDIT</u>: Credit is gladly extended to rated dealers. All other orders will be sent prepaid or COD.

<u>PRICES</u>: The prices in this catalog are suggested retail prices only, listed for the guidance of our dealers. The actual resale price in different areas may vary due to transportation costs and other conditions beyond the control of the seller. All monies being sent from a foreign country (e.g. Canada) must be in American currency or equivalent. All prices in this catalog are subject to change without notice and are F.O.B. Portsmouth, Rhode Island.

<u>PACKING</u>: We use every reasonable precaution in packing our parts to reach you in perfect condition, with due consideration to type of article and means of transportation. All shipments are made at the risk of the purchaser and we cannot be responsible for shortage, loss, or damage occurring in transit. In the event of such loss or damage, you must advise the carrier within 15 days of receipt of goods, and secure the carrier's notation of damage on the freight bill. Promptly thereafter, you must file your claim with the carrier. If any further assistance is needed, please contact us. We will give all reasonable assistance in tracing shipments.

<u>WARRANTY</u>: Every item we manufacture is warranted to be free from defects in material and workmanship. Any item found to be defective will be replaced or adjustment made provided we are notified promptly upon receipt and, if we request, the item is to be returned to us for examination. Repair and replacement of purchased accessories and components will be handled by us in accordance with the policies and apply to any part which shall have been repaired, altered, or otherwise serviced at other than duly authorized service facilities. In no event shall our liability for defects of any item exceed its replacement cost to us. Exterior finishes, applied during manufacture of the part, cannot be warranted because of the widely varying effect experienced in various climates.

<u>RETURNED GOODS</u>: All items being returned <u>must</u> have proper authorization. You must contact us for our written permission and Return Authorization Card. On the back side of the card is a printed form. This form should be filled out completely and used as a shipping label. If the label is not exposed, all incoming packages will be refused and returned to sender.

No credit for merchandise returned will be granted without the proper authorization from Pearson Yachts.

MINIMUM PARTS ORDERS: There is a minimum charge of three dollars (\$3.00) on all parts orders. This policy has been innovated for reasons of economy.

<u>RESTOCKING CHARGE</u>: Any item being returned for reasons other than exchange will be charged a fee of \$5.00 for restocking.

<u>SPECIFICATIONS AND DESIGNS</u>: The company reserves the right to make changes in design, materials, and prices without notice.

Model Introduction Department Page 1 Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------|---|-----------------|
| | | | | |
| | 21256 | 1 | Hatch gasket, half-round, white <u>per ft.</u> | .72 |
| | 21007 | 1 | White molding, U-shped, alcove-molding <u>per ft</u> | .64 |
| | 19065 | 1 | Scalloped hinges, fixed pin, new style <u>ea</u> | 5.67 |
| | 10160 | 1 | Scalloped hinges, fixed pin (forward hatches & sail lockers) ea. | 14.40 |
| | 10162 | 1 | Scalloped hinges with loose pin, 4-way vent hatches (P-33, P-35, P-36, P-39, P-43) ea. | 16.17 |
| | 10138 | 1 | Hatch dog with knurled knob | 11.26 |
| | 9062 | 1 | Hasp sail locker | 5.38 |
| | 21610 | 1 | Closures snap tite for F/G watertank <u>ea</u> . | 2.26 |
| | 21876 | 1 | Curtain tape, white nylon, for alum. track <u>per yd.</u> | .86 |
| | 11457 | 1 | Curtain track, alum. <u>per ft</u> . | .70 |
| | 10351 | 1 | Clips, holder for alum. curtain track <u>ea</u> . | .14 |
| | 3637 | 1 | Stops for alum. curtain track <u>ea</u> . | .13 |
| | 3445 | 1 | Screws sm, fh, s/s, #6 x ½ | .02 |
| | 21785 | 1 | Bushing for rudders, for P-26 up to Hull #1417, P-30 up to Hull #959 | 5.41 |
| | 22206 | 1 | Bushing for rudders, P26 OD, P-26 Hull #1417 up, and P-30 Hull #959 up | 1.43 |
| | 22046 | 1 | Bearing for rudders | .36 |
| | 21318 | 1 | Rudder post bearing uscolete 1" | 24.44 |
| | 21313 | 1 | Rudder post bearing uscolite 1½" for P-33, P-35, P-39 | 20.54 |
| | | | | |

Model Introduction Department

Page 2 Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------|---|-----------------|
| | | | | |
| | 21143 | 1 | Cutlass bearing 1", P-39 | 25.48 |
| | 21145 | 1 | Cutlass bearing 7/8" x 1 3/8" x 3½" for propeller shafts for P-30, P-33, P-35 | 20.31 |
| | | 1 qt. | Gelcoat, current colors, without catalyst | 10.40 |
| | | 1 pt. | Gelcoat, current colors, without catalyst | 5.20 |
| | 9016 | 1 | Bow chock, 5", PORT, P-30, P-33, P-35, P-39, Ensign | 16.51 |
| | 9017 | 1 | Bow chock, 5", STDB, P-30, P-33, P-35, P-39, Ensign | 16.51 |
| | 9226 | 1 | Screen for opening port, 7½" x 4" approx. | 19.66 |
| | 10111 | 1 | Screen for opening port, 9 3/4" x 3 3/4" approx.* | 28.89 |
| | 10801 | 1 | Screen for opening port, 11 5/8" x 4 3/4" approx.* | 30.94 |
| | 10912 | 1 | Friction catches, brown plastic <u>ea</u> . | .26 |
| | 10218 | 1 | Elbow catches, bronze <u>ea</u> . | 1.82 |
| | 21938 | 1 | Teak finger holes <u>ea</u> . | 1.04 |
| | 6028 | 1 | Lock nuts for hatch adjuster <u>ea</u> . | .34 |
| | 17169 | 1 | Clevis pins, 5/16 x 1 (centerboard pin) | 3.15 |
| | 9120 | 1 | Water fill (new type) | 20.05 |
| | 10923 | 1 | Handle, roller reefing, Nicro Fico, P-30, P-33, P-35, P-39 | 38.06 |
| | 9632 | 1 | Deck plate, plastic, 5" | 35.23 |
| | 10094 | 1 | Drawer slides, plastic | .08 |
| | | | * Approximate size | |

Model Introduction Department

Page 3 Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|---|---|--|---|
| | 18684 22059 19026 3314 18024 10382 10758 22009 15175 19031 2192 2193 2194 2195 2196 2197 2198 | 1 1 1 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Light bulb, spreader lights, GE 212-1, old style Cartridge, water filter, CW3, for FW3 filter Plastic clean out plates for water tanks Screws, sm, fh, s/s, 8 x ½ Vinyl weather stripping, tan or dark brown Double life line termination clips for stern or bow rails Rings for double life lines White vinyl mast boot Gasket window, neopreme Boarding ladder, stern, stainless steel, All models except P-26, P-26OD Winch base casting 4", P-26, P-28 Winch base casting 4 3/8", P-30, P-35 Winch base casting 4 3/8", P-39 Winch base casting 5 3/8", P-39 Winch base casting 5 3/8", P-39 Winch base casting 5 3/8", P-30, P-35 Winch base casting 5 3/8", P-30, P-35 Winch base casting 5 3/8", P-10M, P-36 | 1.82 7.41 5.80 .16 .25 10.92 . 7.59 . 2.60 |
| | | | | |

Model P-26
Department Carpenter Shop
Page 1

Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|--------------------------------|------------------|---|--------------------------------|
| 55062 | | 1 | WEATHERBOARD, COMPANIONWAY, upper | 70.23 |
| 33002 | 9166 | 2 | | |
| 55063 | 9100 | 1 | collars, s/s, for hasp slot WEATHERBOARD, COMPANIONWAY, lower, teak plywood only | 36.95 |
| 55061 | | 2 | RUNNER, COMPANIONWAY, teak – on either side of hatchway | <u>1</u> . 16.17 |
| 55064 | | 2 | HANDRAIL, teak, exterior | 24.44 |
| 55065 | | 1 | TILLER, mahogany with tiller head fitting of chrome-plated bronze | 166.43 |
| | 16329 10400 3161 6027 | 1 1 3 3 | tiller, wood only tiller head fitting bolt mach. hh s/s 5/16 – 18 x 3 nut lock hh s/s 5/16 – 18 | 47.29 106.76 1.27 .70 |
| 55057 | | 1 | TABLE – formica top (specify color) | 80.73 |
| 55117 | | 1 | DOUGHNUT DORADE VENT, teak | 13.88 |
| | | 1 | | |
| | | | | |

Model P-26 Department Carpenter Shop Page 2 Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------|--|-----------------|
| 55094 | | 1 set | COCKPIT COAMING CAP, teak, port | 135.88 |
| 55095 | | 1 set | COCKPIT COAMING CAP, teak, starboard | 135.88 |
| | 3205 18134 | 56 56 | Screw, wood, brass, fh 10-1 ¹ / ₄ Bungs, teak 3/8 for coaming | 3.48 .88 |
| 55097 | | 1 | FRAME & DOOR, depth finder, teak | 50.67 |
| 55108 | | 1 | SWING OUT MOUNT, depth sounder | 27.40 |
| 55109 | | 1 | BACK-UP BLOCK for hook & eye, swing out mount | 6.40 |
| | 9209 | 1 | HOOK & EYE, chrome, swing out mount | 3.80 |
| 55116 | | 1 | TRIM COMPANIONWAY HATCH | 15.18 |
| | | | | |

Model P-26 Department Rigging Loft Page 1 Date 6-1-80

| Part # Complete | Part # Per | | | Retail |
|-----------------|---------------|----------|--|--------|
| Assembly | Item | Quantity | Description | Price |
| | | | | |
| | | | OLD STYLE RIGGING HULL 1-650 | |
| | 17016 | 4 | TOGGLE, chrome-plated bronze, 3/8" <u>ea</u> . | 5.59 |
| | 17018 | 1 | TOGGLE, chrome-plated bronze, 7/16" | 7.15 |
| | 17023 | 4 | TURNBUCKLE, chrome-plated bronze, 3/8" <u>ea</u> . | 20.15 |
| | 17024 | 1 | TURNBUCKLE, chrome-plated bronze, 7/16" | 21.45 |
| 55731 | | 1 | JIB STAY, 7/32" s/s wire, 32' long | 69.73 |
| 55701 | | 1 | BACK STAY, s/s wire, upper leg 7/32", lower legs 3/16" wire | 146.54 |
| 55732 | | 2 | SHROUDS, UPPER, 3/16" s/s wire 29' 9" <u>ea</u> . | 56.63 |
| 55733 | | 2 | SHROUDS, LOWER, 3/16" s/s wire 15' 6" ea. | 41.94 |
| | | | NAVTEC TYPE CLOSED BODY HULL 651-1314 | |
| | 17199 | 4 | TURNBUCKLE, s/s, 3/8" pin x 5/16" screw, Uppers & lowers <u>ea</u> . | 13.10 |
| | 17201 | 1 | TURNBUCKLE, s/s, 7/16" pin, 3/8" screw, jibstay | 15.05 |
| 55700 | | 1 | JIB STAY, 7/32" s/s wire, 32' 4" long | 65.26 |
| 55701 | | 1 | BACK STAY, s/s wire, upper leg 7/32" lower legs 3/16" wire | 146.54 |
| 55702 | | 2 | SHROUDS, UPPER, 3/16" s/s wire 29' 9" ea. | 51.74 |
| 55703 | | 2 | SHROUDS, LOWER, 3/16" s/s wire 15' 10" ea. | 37.57 |
| 55704 | | 1 | HALYARD, MAIN, 32' of 3/8" braid and 37' of 1/8" s/s wire with shackle—wire to rope splice | 69.06 |
| | | | NOTE: Hull #1315 and up, open body style Navtec turnbuckle. | |

Model P-26 Department Rigging Loft Page 2 Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------|---|-----------------|
| | | | | |
| 55705 | | 1 | HALYARD, JIB, 38' of 3/8" braid spliced to 30' 3" of 1/8" s/s wire with #1 shackle | 98.80 |
| 55706 | | 1 | TOPPING LIFT, 1/8" wire and 7' of ½ braided rope and 38' 6" of 1/8" s/s wire with shackle | 38.17 |
| 55708 | | 1 | OUTHAUL, MAIN | 3.48 |
| 55709 | | 1 | MAIN SHEET, 3/8" braid 68' | 30.47 |
| 55710 | | 2 | JIB SHEETS, 3/8" braid 30' <u>ea</u> . | 13.75 |
| 55724 | | 1 | INSULATED BACKSTAY | 166.27 |
| | | | | |
| 55735 | | 1 set | REEFING outhaul aft | 24.99 |
| 55715 | | 2 | CONTROL LINES, for main sheet traveler <u>ea</u> . | 7.38 |
| 55718 | | 2 | GENOA SHEETS, 7/16" braided rope 36' ea. | 22.33 |
| | | | NOTE: All stays and shrouds are 1 x 19 wire; all halyards are 7 x 19 wire. | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Model P-26 Department Rigging Loft

Page 3
Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------|---|-----------------|
| 55719 | | 1 | SPINNAKER HALYARD, 3/8" braided rope 66' long with #1 swivel eye snap shackle | 54.70 |
| 55720 | | 1 | SPINNAKER GUY, 3/8" braided rope, 41' long with #1 ring snap shackle | 45.40 |
| 55721 | | 1 | SPINNAKER SHEET, 3/8" braided rope, 41' long with #1 ring snap shackle | 45.40 |
| 55722 | | 1 | LIFT, SPINNAKER POLE, 30' of 1/4" braided rope with eye snap shackle | 35.91 |
| 55723 | | 1 | FOREGUY, SPINNAKER, 15' of 1/4" braided rope with eye snap shackle | 32.63 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Model P-26 Department Spar Loft Page 1 Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|------------------------------|------------------|---|-----------------|
| 55800 | | 1 | MAST, COMPLETE, alum. Extrusion with standard fittings and spreaders, bases, extrustion length 30' 4". Please specify full number. (See Machine Shop for separate parts.) | 1059.21 |
| 55801 | | 1 | BOOM, (standard), fixed gooseneck. Please specify null number. (See Machine Shop for separate parts.) | 246.64 |
| | 2029 | 1 | boom cap, alum. Casting, at outhaul end, raw casting | 7.93 |
| | 9003 | 1 | cleat, 4", 2-hole, alum. | 5.46 |
| | 10865 | 1 | roller reefing gooseneck NM 101 | 159.38 |
| | 10867 | 1 | slide gooseneck, mast section | 17.16 |
| | 11637 | 1 | extrusion, alum. | 163.18 |
| | 21183 | 2 | Tangs, topping lift and main sheet <u>ea.</u> | 1.35 |
| | | | FASTENER PACKAGE INCLUDES: | 1.40 |
| | 3111 3139 3334 6023 | 2 1 8 1 | mach. Screw, oh, s/s $12 - 24 \times 1\frac{1}{2}$ mach. Bolt, hh. Alum. $3/8 - 16 \times 1\frac{1}{2}$ sheet metal screw, rh, s/s, #10 x $\frac{1}{2}$ lock nut, alum., hh, $3/8 - 16$ | |
| | 21677 | 1 | MASTHEAD, up to Hull #1127 | 111.36 |
| | 22022 | 1 | MASTHEAD ASSEMBLY, with toggles, Hull #1128 and up | 115.54 |
| | 11554 | 1 | MAST EXTRUSION, Hull #1128 and up | 747.53 |
| | 2157 | 1 | MAST STEP, Up to Hull #1127 | 10.27 |
| | 2184 | 1 | MAST STEP, Hull #1128 Up | 15.13 |
| | | | | |


Model P-26
Department Spar Loft
Page 2
Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|--|----------------------------|--|------------------------|
| | | Ç i ij | r. · | |
| | | | SPINNAKER GEAR FOR MAST | |
| | 1102 | 1 | block, swivel pole lift | 10.82 |
| | 19074 | 1 | slide, eye, spinnaker pole | 11.52 |
| | 9658 | 1 | cleat, alum. 6", 2-hole | 9.49 |
| | 9003 | 1 | cleat, alumn 4", 2-hole | 5.46 |
| | 11567 | 1 | track for spinnaker slide, 4' | 18.82 |
| | 10988 | 2 | stops, spin track | 2.03 |
| | | | FASTENER PACKAGE INCLUDES: | 1.61 |
| | 3107 3111 3119 3328 3331 3306 | 2 2 7 4 2 2 | mach. screw, oh, s/s, $\frac{1}{4}$ – 20 x $\frac{1}{2}$ mach. screw, oh, s/s, 12 – 24 x $\frac{1}{2}$ mach. screw, fh, s/s 10 – 32 x $\frac{3}{4}$ sheet metal screw, rh, s/s, 10 x $\frac{1}{2}$ sheet metal screw, rh, s/s, 10 x $\frac{1}{2}$ screw rh, $\#10$ x $\frac{3}{4}$ | |
| | | | MAST HEAD LIGHT ASSEMBLY | |
| | 9093 22003 21688 | 1 1 1 | mast head light only bushing, tube/light tube to mount mast head lights | 29.25 2.42 13.91 |
| | 10974 | | BOW LIGHT ASSEMBLY (New Style), Perko #1331 | 10.71 |
| | | | NEW STYLE GOOSENECK, for Hull #1520 up | |
| | 2214 | 1 | gooseneck casting | 4.55 |
| | 19222 | 1 | gooseneck w/slide and reefing hooks | 91.70 |
| | | | | |
| | | | | |

Model P-26 Department Machine Shop Page 1

Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | | Retail Price |
|--------------------------|-----------------------|----------|---|-------------|-----------------|
| | | | | | |
| 55500 | | 2 | SPREADER base casting. Alum. (2018) | <u>ea</u> . | 14.22 |
| 55501 | | 2 | SPREADER ARM ASSEMBLY with tip | <u>ea</u> . | 14.35 |
| 55505 | | 1 | MAST STEP, alum. casting (2157) <u>UP TO HULL #1127</u> | | 15.47 |
| 55506 | | 1 | MAST STEP, alum. casting (2184) HULL #1128 AND UP | | 20.33 |
| 55509 | | 1 | OUTHAUL clew, alum. | | 5.93 |
| 55518 | | 1 | TANG, JIB FURLING base support s/s | | 18.82 |
| 55519 | | 1 | BRACKET, JIB FURLING base support, angle alum. with tang collar, deck | | 10.95 |
| 55520 | | 1 | TANG, JIB FURLING, mast | | 9.36 |
| 55515 | | 1 | COLLAR, RUDDER | | 7.38 |
| 55523 | | 1 | TRANSDUCER BOX | | 45.66 |
| 55523 | | 1 | DORADE pipe – PVC hose | | 3.77 |
| | | | | | |



Model P-26 Department Machine Shop Page 2 Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------|---|-----------------|
| | | | | |
| 55502 | | | GOOSENECK, spring loaded roller reefing complete-old style up to hull #1519 | 53.09 |
| A | 10028 | 1 | slide | 18.20 |
| В | 3495 | 1 | mach. bolt, hh, s/s, $\frac{1}{4}$ – 20 x 3 | .29 |
| C | 7010 | 2 | washers, flat, s/s, ½ | 03 |
| D | 55510 | 1 | toggle | 9.05 |
| Е | 55511 | 1 | tack pin, s/s | 7.93 |
| F | 6017 | 2 | nut, hh, s/s, ½ – 20 | <u>a</u> 05 |
| G | 55502 | 1 | gooseneck casting (2028) | 10.92 |
| | | | | |
| I | 7014 | 1 | washer, flat, s/s | .42 |
| J | 17074 | 1 | cotter pin | .03 |
| K | 55503 | 1 | swivel pin casting (2032) | 5.98 |
| L | 3469 | 1 | mach. bolt, hh/ s/s, $\frac{1}{4}$ – 20 x 1 | .13 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Model P-26
Department Small Parts
Page 1

Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | | Retail Price |
|--------------------------|-----------------------|----------|--|-------------|-----------------|
| | | | | | |
| 55604 | | 1 | HATCH, forward | | 74.91 |
| 55605 | | 1 | HATCH COMPANIONWAY | | 125.71 |
| 55608 | | 1 | RUDDER, fiberglass with alum. shafts | | 404.74 |
| 55610 | | 2 | END FITTINGS for vinyl rub rail, Kydex | <u>ea</u> . | 5.17 |
| 55612 | | 1 | SEAHOOD | | 165.78 |
| 55616 | | 1 | DODADE VENE 1 ('C (11) | | 40.27 |
| 55616 | | 1 | DORADE VENT, box (specify port or stdb.) | | 49.27 |
| 55625 | | 1 | RUDDER POST COVER, Kydex | | 17.68 |
| 55627 | | 1 | DONUT, Kydex for compass | | 17.68 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Model P-26
Department Assembly
Page 1
Date 6-1-80

| Part # Complete | Part # Per | | | | Retail |
|-----------------|---------------|----------|--|-------------|--------|
| Assembly | Item | Quantity | Description | | Price |
| | | | | | |
| | 10999 | 1 | TILLER SHIM | | 2.86 |
| | 10124 | 1 pr. | RUNNING LIGHTS, red and green | | 19.66 |
| | 10125 | 1 | STERN LIGHT | | 9.93 |
| | 10160 | 2 | *HINGE for forward hatch, <u>OLD STYLE</u> | <u>ea</u> . | 14.40 |
| | 10352 | 1 | WINDOW, main cabin, port | | 69.86 |
| | 10353 | 1 | WINDOW, main cabin, starboard | | 69.86 |
| | | | | | |
| | 11424 | 14' | TRIM COMPAIONWAY, vinyl | | 8.66 |
| | 10718 | 1 | STEM HEAD fitting, s/s | | 36.40 |
| | 19028 | 1 | STEM HEAD fitting, s/s, with hooks | | 30.81 |
| | | | | | |
| | 21626 | 53' | RUB RAIL, vinyl | | 94.41 |
| | 21627 | 60' | RUN RAIL holder | per ft. | .75 |
| | | | | | |
| | 10341 | 5 | LIGHT, Cabin w/shade | <u>ea</u> . | 10.35 |
| | 14052 | 1 | WATER TANK, plastic, 23-gallon | | 43.16 |
| | | | | | |
| | 10943 | 1 | ELECTRICAL PANEL 7 guage, dark blue | | |
| | | | with white lettering | _ | 83.54 |
| | 21876 | 7.5 yds. | CURTAIN TAPE | <u>yd</u> . | .86 |
| | 19065 | 2 | *HINGE, scalloped for forward hatch, | <u>ea</u> . | |
| | | | NEW STYLE | | 5.67 |
| | 19086 | 1 | SAIL GATE, Hull #1383 and up | | 25.90 |
| | | | | | |
| | | | | | |
| | | | | | |

Model P-26
Department Assembly
Page 2
Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------------|--|-----------------|
| | | | | |
| | 19434 | 1 | OPENING PORT, plastic frame, w/screen | 54.60 |
| | 9033 | 1 | chain, for opening port | 11.05 |
| | 10801 | 1 | SCREEN, opening port, approx. 11 5/8 x 4 ³ / ₄ I.D., old style | 30.94 |
| | | | FASTENERS: | 9.98 |
| | 3118 3506 | 10 10 | screw mach. RH, fh, s/s, $10-32x^{1/2}$ nut, female, $10-32$ | |
| | 9024 | 1 pr. | TABLE BRACKET | 10.37 |
| | 2159 | 1 | RUDDER HEAD CASTING, alum. | 37.57 |
| | | | | |
| | 19024 | 1 | BILGE PUMP, Manual, whale | 99.27 |
| | | | BOW PULPIT ASSEMBLY | |
| 55524 | | 4 | backup plates, fiberglass | 20.80 |
| | 10040 | 1 | bow rail, s/s tube, welded (specify 1976 model or prior) | 156.00 |
| | 18667 | 4 | gasket neopreme | 2.50 |
| | | | BOW PULPIT ASSEMBLY backup plates, fiberglass bow rail, s/s tube, welded (specify 1976 model or prior) | 2.89 |
| | 3089 6016 7010 | 12 12 12 | nut, hh, s/s , $12 - 24$ | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Model P-26
Department Assembly
Page 3
Date 6-1-80

| Part # Per Item | Quantity | Description | | Retail Price |
|--|--|--|---|--|
| | | STERN RAIL ASSEMBLY | | |
| | 4 | backup plates, fiberglass | | 20.80 |
| 10379 | 1 | stern rail, s/s tube, welded | | 166.40 |
| 18667 | 4 | neopreme gasket 1/8" thick | | 2.50 |
| | | FASTENER PACKAGE INCLUDES: | | 2.00 |
| 3086 3088 6016 7010 | 6 6 12 12 | mach. screw, fh, s/s, $12 - 24 \times 1$ mach. screw, fh, s/s, $12 - 24 \times 1\frac{1}{2}$ nut, hh, s/s, $12 - 24$ washer, s/s, $\frac{1}{4}$ | | |
| | | TRAVELER ASSEMBLY, main sheet | | |
| 1149 | 1 | block, fiddle, FOB | | 16.43 |
| 1238 | 1 | block, fiddle w/cam cleat | | 32.71 |
| 19281 | 2 | cam cleat | <u>ea</u> . | 3.04 |
| 1219 | 2 | turning blocks | <u>ea</u> . | 7.49 |
| 9447 19517 19516 19518 | 2 1 1 2 2 | strap eye, size 1 traveler car traveler with car, ball bearing, 54" long traveler stops control lines | <u>ea</u> . <u>ea</u> . <u>ea</u> . | 2.16 50.49 29.12 3.46 7.38 |
| | | FASTENER PACKAGE INCLUDES: | | 8.92 |
| 3309 3301 3089 3085 6015 6016 7009 7010 | 4 2 4 14 14 4 14 4 | screw, sm, fh, s/s 10×1 screw, sm, rh, s/s $8 \times 1\frac{1}{2}$ screw mach. fh, s/s $12 - 24 \times 2$ screw mach. fh, s/s $10 - 32 \times 3\frac{1}{2}$ nut, hh, s/s, $10 - 32$ nut, hh, s/s, $12 - 24$ washer, flat, s/s, $3/16$ washer, flat, s/s, $\frac{1}{4}$ | | |
| | 10379 18667 3086 3088 6016 7010 1149 1238 19281 1219 9447 19517 19516 19518 3309 3301 3089 3085 6015 6016 7009 | Item Quantity 4 10379 1 18667 4 3086 6 3088 6 6016 12 7010 12 1149 1 1238 1 19281 2 9447 2 19517 1 19518 2 2 2 3309 4 3301 2 3089 4 3085 14 6015 14 6016 4 7009 14 | STERN RAIL ASSEMBLY | STERN RAIL ASSEMBLY |

Model P-26
Department Assembly
Page 4
Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------------|-----------------------|------------------|--|----------------------------------|
| 55612 | | 1 | SEAHOOD for main companionway hatch, fiberglass FASTENER PACKAGE INCLUDES: | 113.78 |
| | 3315 7052 | 11 11 | sheet metal screw, fh, s/s, #10 x ½ washer, finish, s/s, #10 | |
| | | 4.8 sy | CARPETING for cabin sole | 114.93 |
| | 12148 | 1 set | CURTAINS | 74.38 |
| | 12150 | 1 | COCKPIT DOGER, with hardware | 395.00 |
| | | | DORADE VENT FOR DECK HOUSE: | |
| 55117 55616 55526 | 19010 19011 | 1 1 1 1 | *cowl vent, PVC, 3" Martec *deck plate with cap, plastic dorade vent doughnut, teak dorade box for deck, fiberglass (specify port or starboard) pipe for vent PVC | 21.63 11.36 13.88 49.27 |
| | | | FASTENER PACKAGE INCLUDES: | .78 |
| | 3309 3313 7052 | 4 8 8 | screw, sm, fh, s/s, 10 x 1 screw, sm, fh, s/s, 10 x ³ / ₄ washer, finish, #10 | |
| | | | *Replacement parts for Hull #1167 and below | |
| | 9921 9114 | 1 1 | cowl vent, PVC, metal thread, Nicro deck plate, 3" alum. | 43.60 24.93 |
| | 12149 | 1 set | CUSHIONS, COCKPIT, vinyl | 84.05 |
| | 12251 | 1 set | MATTRESSES, 4" filler, current color plans only | 700.24 |
| | | | | |

Model P-26
Department Assembly
Page 5

| Date | 6-1 | l-80 |
|------|-----|------|
|------|-----|------|

| Part # Complete Assembly | Part # Per Item | Quantity | Description | | Retail Price |
|--------------------------|-----------------------|----------------|---|-------------|-----------------|
| | | | | | |
| | | | GENOA GEAR ASSEMBLY | | |
| | 1137 | 2 | block with slide | <u>ea</u> . | 23.48 |
| | 10958 | 2 | stops, genoa track | <u>ea</u> . | .65 |
| | 11557 | 2 | *T-track, alum. black, 4' | <u>ea</u> . | 11.06 |
| 55713 | | 2 | sheets, genoa | <u>ea</u> . | 22.33 |
| | | | FASTENER PACKAGE INCLUDES: | | 5.23 |
| | 3101 6017 7010 | 28 28 28 | mach. screw, fh, s/s, $\frac{1}{4}$ – 20 x 1 nuts, hh, s/s, $\frac{1}{4}$ – 20 washer, flat, s/s, $\frac{1}{4}$ | | |
| | | | JIB SHEET ASSEMBLY | | |
| | 1144 | 2 | block, full swivel | | 12.84 |
| 55524 | | 2 | backup plates, fiberglass | | 5.20 |
| 55710 | | 2 | jib sheets | | 13.75 |
| | | | FASTENER PACKAGE INCLUDES: | | .70 |
| | 3755 6035 7019 | 4 4 4 4 | screws, RH, s/s, 8 -32 x 2 nut, acorn, 8 – 32 washer, flat, chrome 3/16 | | |

Model P-26
Department Assembly
Page 6
Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | | Retail Price |
|--------------------------|-----------------------|-------------------------------|--|------------|-----------------|
| Complete | Per | Quantity 1 2 2 1 1 4 4 8 8 8 | Description SPINNAKER GEAR ASSEMBLY on deck block, spinnaker, halyard block with snap shackle pad eyes for snap shackle block cleat, 6", 2-hole pole, spinnaker shackle FASTENER PACKAGE INCLUDES: screws, mach. fh, s/s, ½ – 20 x 2 screws, mach. rh, s/s, ½ – 20 x 2½ nut, hh, s/s, ½ – 20 washer, flat, s/s, ½ SPINNAKER GEAR ON MAST (See Spar Loft) SPINNAKER RIGGING (See Rigging Loft) | ea. ea. | |
| | | | | | |

Model P-26
Department Assembly
Page 7
Date 6-1-80

| Part # Complete Assembly | Part # Per Item | Quantity | Description | Retail Price |
|--------------------------|-----------------------|----------|--|-----------------|
| | | | FUEL TANK STORAGE BIN ASSEMBLY – to be used with standard 6-gallon OEM tank only | |
| 55628 | | 1 | fuel tank storage bin | 82.68 |
| 55736 | | 1 | tie downs, storage tank | 3.25 |
| | 9284 | 2 | strap eye <u>ea</u> . | 8.45 |
| | 3314 | 4 | screws, sm, fh, s/s, #8 x ½ | .13 |
| | 10951 | 2 | thru hull 1½, plastic | 14.14 |
| | 3313 | 8 | screws, sm, fh, s/s, #10 x ³ / ₄ | .42 |
| | 7052 | 8 | washer, finish, chrome #10 | .13 |
| | 18538 | 1.5 ft. | hose, wire reinforced, 1 3/4" | 6.29 |
| | | | JIFFY REEFING ASSEMBLY PACKAGE | |
| | | | | |
| 55735 | | 1 set | reefing outhaul aft | 24.99 |
| | 1181 | 2 | cheek block <u>ea</u> . | 6.97 |
| | 9285 | 3 | eye strap 4½" <u>ea</u> . | 4.68 |
| | 9659 | 3 | cleat, 5", 2-hole <u>ea</u> . | 6.84 |
| | 3111 | 6 | screw, mach., oh, s/s, 12-24x1½ for cleats | .70 |
| | 3315 | 12 | screw, fh, s/s, #10 x 3/4 for blocks and strap eyes | .49 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | _ | | | |

A note from a Pearson 26 owner. When I purchased s/v Grinz, hull #1766, I received a zippered vinyl portfolio (15" x 11 ½") with this graphic in the lower left corner.



In the portfolio I found owner guides for the various hardware items installed on the vessel and a spiral bound blue manual which contained three Pearson documents, a sales brochure, Pearson 26 Owner's Guide and Protection Plan, and Pearson 26 Parts Catalog.

I have tried to create reproductions of the Owner's Guide and Parts Catalog. You will find obvious "errors" but they were part of the documents delivered to a new Pearson 26 owner. I hope you find them useful.

Fresh winds and calm seas, Morris Beavers

PS. I now have a Mariner 36, s/v Coda. If you should see us please call and introduce yourself.